




Experience the Performance

PRODUCT GUIDE

WINTER 2018/2019



Table of Contents		Page
	R&D Centre Europe	3
All Season	4SEASONS – For every weather in all seasons	4
PCR	WINTERPRO 2 – New high performance tyre	6
	WINTERPRO HP – Winter Ultra High Performance	8
SUV / 4x4	SAVERO WT – 4X4/SUV Winter	10
	ICEPRO³ / ICEPRO SUV³ – New studded winter tire	14
Van	MAXMILER WT2 CARGO – The new generation of winter tyres	12



Apart from conducting our own research and development, we also collaborate with leading universities and research institutes around the world.

• Offices / Representation Offices





FOR EVERY WEATHER
IN ALL SEASONS



4SEASONS

4SEASONS

FOR EVERY WEATHER
IN ALL SEASONS

“New 4SEASONS tyre finetuned for all year driving, ensuring optimal grip on snow, safe driving on cold wet roads, and consistent performance on hot dry summer days.”

FEATURES

Dual ultra-wide grooves

New all seasons “full silica” compound

Multiple deep sipes

BENEFITS

▶ Ensures fast water evacuation, resistance to aquaplaning, and short braking distances on wet surfaces

▶ Ensures consistent grip across wide range of temperatures, and a long lasting mileage

▶ Ensures excellent grip on snow and ice surfaces, for firm accelerations and short stopping distances



14 - 17 Inch | Speed Rating: T - V | 45 - 65 Series

Material Code	Tire Size			LI	⚡	XL	⛽	☔	🔊	🔊
100A3482	175	65	14	86	T	XL	C	C	2	71
100A3484	185	65	14	86	T		C	C	2	71
100A3483	185	60	14	82	H		C	C	2	71
100A3485	175	65	15	84	T		C	C	2	71
100A3488	185	65	15	88	H		C	C	2	71
100A3487	185	60	15	88	H	XL	C	C	2	71
100A3486	185	55	15	82	H		C	C	2	71
100A3492	195	65	15	91	H		C	C	2	72
100A3491	195	60	15	88	H		C	C	2	72
100A3490	195	55	15	85	H		C	C	2	72
100A3489	195	50	15	82	H		C	C	2	72
100A3493	195	55	16	87	H		C	C	2	72
100A3495	205	60	16	92	H		C	C	2	72
100A3494	205	55	16	94	V	XL	C	C	2	72
100A3496	215	55	16	97	V	XL	C	C	2	72
100A3497	205	50	17	93	V	XL	C	C	2	72
100A3500	225	55	17	101	V	XL	C	C	2	72
100A3499	225	50	17	98	V	XL	C	C	2	72
100A3498	225	45	17	94	V	XL	C	C	2	72

SUV

Material Code	Tire Size			LI	⚡	XL	⛽	☔	🔊	🔊
100A3501	215	65	16	102	V	XL	C	C	2	72
100A3503	215	60	17	96	V		C	C	2	72
100A3502	235	55	17	103	V	XL	C	C	2	72

LI Load Capacity ⚡ Speed Rating XL Extraload ⛽ Fuel Efficiency ☔ Wet Grip 🔊 Noise Grade 🔊 Noise Data



NEW HIGH PERFORMANCE TYRE FOR COMPACT AND MIDSIZE CARS AS WELL AS SUVs



WINTERPRO2

WINTERPRO2

NEW HIGH PERFORMANCE TYRE FOR COMPACT AND MIDSIZE CARS AS WELL AS SUVs

“The WINTERPRO2 is the new GT Radial winter tyre for compact and medium sized cars. Also available in larger sizes for SUVs. This new tyre offers a high degree of control in wet and snowy weather as well as a particularly long service life.”



FEATURES

Directional tread pattern

Optimal distribution of slats and block edges

Latest slat design

Newly developed rubber compound

BENEFITS

▶ The new, **UNIQUE TREAD PATTERN** provides excellent **WATER DISPLACEMENT** and **GRIP ON SNOW**.

▶ Improved **TRACTION AND BRAKING PERFORMANCE** on snow and ice. The edges serve as a support while cornering and thus optimize handling.

▶ The many narrow slats are the decisive element for **EXCELLENT BRAKING PERFORMANCE** on roads that offer extremely poor grip.

▶ Thanks to the new **RUBBER COMPOUND**, **CONSISTENTLY GOOD PERFORMANCE** is guaranteed even at the lowest temperatures.



Material Code	Tire Size			LI	⚙️	XL	⛽	🌨️	🔊	🔊
100A3193	155	80	13	79	T		F	C	2	69
100A3186	155	70	13	75	T		F	C	2	69
100A3189	165	70	13	79	T		F	C	2	69
100A3192	175	70	13	82	T		F	C	2	69
100A3188	155	65	14	75	T		F	C	2	69
100A3172	165	70	14	81	T		E	C	2	69
100A3191	165	65	14	79	T		F	C	2	69
100A3178	175	70	14	84	T		F	C	2	69
100A3170	175	65	14	82	T		F	C	2	69
100A3203	175	65	14	86	T	XL	E	C	2	69
100A3199	185	70	14	88	T		E	C	2	69
100A3182	185	65	14	86	T		E	C	2	69
100A3179	185	60	14	82	T		F	C	2	69
100A3181	175	65	15	84	T		E	C	2	69
100A3169	185	65	15	88	T		E	B	2	69
100A3177	185	60	15	84	T		E	B	2	69
100A3173	185	60	15	88	T	XL	E	B	2	69
100A3190	185	55	15	82	T		E	B	2	69
100A3183	195	65	15	91	T		E	B	2	70
100A3109	195	65	15	91	H		E	B	2	70
100A3180	195	65	15	95	T	XL	E	B	2	70
100A3185	195	60	15	88	T		E	B	2	70
100A3195	195	55	15	85	H		E	B	2	70
100A3201	195	50	15	82	H		F	B	2	70
100A3198	205	65	15	94	T		E	C	2	70
100A3476	195	60	16	89	H		E	B	2	70
100A3477	195	55	16	91	H	XL	E	B	2	70
100A3174	205	60	16	92	H		E	C	2	70
100A3176	205	60	16	96	H	XL	E	C	2	70
100A3171	205	55	16	91	T		E	B	2	70
100A3168	205	55	16	91	H		E	B	2	70
100A3204	215	70	16	100	T		E	C	2	70
100A3205	215	70	16	100	H		E	C	2	70
100A3184	215	65	16	98	H		E	C	2	70
100A3175	215	60	16	99	H	XL	C	C	2	70
100A3187	215	55	16	93	H		E	C	2	70
100A3194	215	55	16	97	H	XL	E	C	2	70
100A3196	225	55	16	99	H	XL	E	C	2	70
100A3202	205	55	17	95	H	XL	E	C	2	70
100A3197	215	55	17	98	V	XL	E	C	2	70
100A3200	215	50	17	95	V	XL	E	C	2	70
100A3478	235	65	17	108	H	XL	C	B	2	72
100A3479	235	60	17	106	H	XL	E	B	2	72
100A3110	245	65	17	111	H	XL	C	B	2	72

LI Load Capacity ⚙️ Speed Rating XL Extraload ⛽ Fuel Efficiency 🌨️ Wet Grip 🔊 Noise Grade 🔊 Noise Data

🌀 13 - 17 Inch

⚙️ Speed Rating: T - V

🔵 50 - 80 Series



WINTERPRO HP

WINTER ULTRA HIGH PERFORMANCE

“This high-performance tyre combines outstanding performance features to meet the high demands of high-performance passenger cars and vans in winter conditions.”

FEATURES

Asymmetric profile design

Three circumferential tread grooves

Optimized blade design

Newly developed rubber compound

BENEFITS

▶ The outer shoulder blocks guarantee **IDEAL DRIVING CHARACTERISTICS** on dry roads and **HIGH CORNERING STABILITY**

▶ Fast and efficient water drainage to **PREVENT AQUAPLANING**

▶ **IMPROVED GRIP** and **INCREASED BRAKING POWER** on snow

▶ Increased **RUBBER ELASTICITY** at low outside temperatures for generally **IMPROVED WINTER PROPERTIES**



16 - 19 Inch | Speed Rating: H - V | 40 - 65 Series

WINTER ULTRA HIGH PERFORMANCE



WINTERPRO HP

Material Code	Tire Size			LI	⚡	XL	⛽	🌀	🔊	🔊
100A2709	195	55	16	87	H		E	C	2	72
100A2714	205	55	16	94	V	XL	E	C	2	72
100A2719	205	50	17	93	V	XL	C	C	2	72
100A2720	205	45	17	88	V	XL	E	C	2	72
100A2721	215	60	17	96	H		C	C	2	72
100A2722	215	55	17	98	V	XL	C	C	2	72
100A2723	225	65	17	102	H		C	C	2	72
100A2724	225	60	17	99	H		E	C	2	72
100A2725	225	55	17	101	V	XL	C	C	2	72
100A2726	225	50	17	98	V	XL	E	C	2	72
100A2727	225	45	17	94	V	XL	C	C	2	72
100A2728	235	65	17	108	H	XL	C	C	2	72
100A2729	235	55	17	103	V	XL	C	C	2	72
100A2730	235	45	17	97	V	XL	C	C	2	72
100A2731	245	45	17	99	V	XL	C	C	2	72
100A2732	225	45	18	95	V	XL	C	C	2	72
100A2733	225	40	18	92	V	XL	E	C	2	72
100A2734	235	60	18	107	H	XL	B	C	2	72
100A2735	235	55	18	104	V	XL	C	C	2	72
100A2736	235	50	18	101	V	XL	C	C	2	72
100A2737	245	45	18	100	V	XL	C	C	2	72
100A2738	245	40	18	97	V	XL	E	C	2	72
100A2739	255	55	18	109	V	XL	C	C	2	72
100A2740	255	50	19	107	V	XL	C	C	2	72

LI Load Capacity ⚡ Speed Rating XL Extraload ⛽ Fuel Efficiency 🌀 Wet Grip 🔊 Noise Grade 🔊 Noise Data



4X4/SUV WINTER



SAVERO WT

Material Code	Tire Size			LI		XL				
100A341	235	75	15	105	T		E	E	2	72
100A342	225	75	16	104	T		C	E	2	72
100A1051	225	70	16	103	T		C	E	2	72
100A1052	235	70	16	106	T		E	E	2	72
100A343	245	75	16	111	T		E	E	2	72
100A348	245	70	16	107	T		E	E	2	72
100A349	255	70	16	111	T		E	E	2	72
100A358	255	65	16	109	T		E	E	2	72
100A353	265	70	16	112	T		C	E	2	72
100A355	235	65	17	104	T		C	E	2	72
100A356	245	65	17	107	T		E	E	2	72
100A354	265	70	17	115	T		E	E	2	72
100A359	275	60	17	111	T		E	E	2	72

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

SAVERO WT

4X4/SUV WINTER

“Specially developed SUV tyre with excellent handling properties.”

FEATURES

- Directional tread pattern
- Open tyre shoulder design
- New, optimized rubber compound

BENEFITS

- ▶ **OPTIMIZED WET GRIP** and **INCREASED TRACTION** on snow
- ▶ Offers **MAXIMUM SAFETY** in winter conditions
- ▶ **IMPROVED DRIVING CHARACTERISTICS** on snow and ice



15 - 17 Inch Speed Rating: T 60 - 75 Series



DIE NEUE GENERATION WINTERREIFEN FÜR NUTZFAHRZEUGE



MAXMILER WT2 CARGO

MAXMILER WT2 CARGO

THE NEW GENERATION OF WINTER TYRES FOR COMMERCIAL VEHICLES



FEATURES

New profile design

Optimized slats and profile grooves

New tread compound

BENEFITS

▶ **SUPERB HANDLING** and smooth, comfortable handling

▶ **EXCELLENT WATER DISPLACEMENT** and very **GOOD GRIP** in winter conditions

▶ Excellent braking performance on snow and ice, **LONG MILEAGE**



12 - 16 Inch

Speed Rating: Q - T

60 - 75 Series

Material Code	Tire Size			LI	⚙️	XL	⚡	☔	🔊	🔊
100A3398	155		12	88/86	R		F	C	2	71
100A3378	165	70	14	89/87	R		F	C	2	71
100A3379	185		14	102/100	Q		E	C	2	71
100A3380	195		14	106/104	Q		E	C	2	71
100A3399	205		14	109/107	Q		E	C	2	71
100A3381	195	70	15	104/102	R		E	C	2	71
100A3382	205	70	15	106/104	R		E	C	2	71
100A3383	205	65	15	102/100	T		E	C	2	71
100A3384	215	70	15	109/107	R		C	C	2	71
100A3116	215	65	15	104/102	T		E	C	2	71
100A3385	225	70	15	112/110	R		C	B	2	71
100A3400	175	75	16	101/99	R		E	C	2	71
100A3386	185	75	16	104/102	R		E	C	2	71
100A3389	195	75	16	107/105	R		E	C	2	71
100A3388	195	65	16	104/102	T		E	C	2	71
100A3387	195	60	16	99/97	T		E	C	2	71
100A3391	205	75	16	113/111	R		C	C	2	71
100A3390	205	65	16	107/105	T		C	C	2	71
100A3394	215	75	16	116/114	R		C	C	2	71
100A3392	215	65	16	109/107	T		C	C	2	71
100A3393	215	60	16	103/101	T		E	C	2	71
100A3396	225	75	16	121/120	R		C	B	2	71
100A3395	225	65	16	112/110	R		C	B	2	71
100A3397	235	65	16	115/113	R		C	B	2	71

LI Load Capacity ⚙️ Speed Rating XL Extraload ⚡ Fuel Efficiency ☔ Wet Grip 🔊 Noise Grade 🔊 Noise Data



NEW STUDDED WINTER TIRE FOR PASSENGER CARS & SUVs

ICEPRO³ / ICEPRO SUV³



ICEPRO³ / ICEPRO SUV³


NEW STUDDED WINTER TIRE FOR PASSENGER CARS & SUVs



FEATURES

BENEFITS

- Directional pitch design ▶ Superb **GRIP** and **TRACTION** in deep snow
- High ratio of studs ▶ Special design and **STUDS** with optimal distribution. Maximum **TRACTION** on ice and short stopping distances. Reduced **NOISE** levels. (PCR up to 140 studs and SUV up to 166 studs)
- Specific high silica winter compound ▶ Short **BRAKING** distance on snow and ice




14 - 18 Inch Speed Rating: T - H 50 - 75 Series

Material Code	Tire Size			LI	Speed Rating	EL	Fuel Efficiency	Wet Grip	Noise Grade	Noise Data
100A3139S	175	65	14	86	T	XL	*	*	*	*
100A3140S	175	70	14	88	T	XL	*	*	*	*
100A3142S	185	65	14	90	T	XL	*	*	*	*
100A3144S	185	70	14	92	T	XL	*	*	*	*
100A3141S	185	60	15	88	T	XL	*	*	*	*
100A3143S	185	65	15	88	T		*	*	*	*
100A3145S	195	60	15	92	T	XL	*	*	*	*
100A3146S	195	65	15	95	T	XL	*	*	*	*
100A3138S	205	55	16	94	T	XL	*	*	*	*
100A3147S	205	60	16	96	T	XL	*	*	*	*
100A3159S	205	65	16	95	T		*	*	*	*
100A3149S	215	55	16	97	T	XL	*	*	*	*
100A3151S	215	60	16	99	T	XL	*	*	*	*
100A3153S	215	65	16	98	T		*	*	*	*
100A3158S	225	60	16	98	T		*	*	*	*
100A3148S	215	50	17	95	T	XL	*	*	*	*
100A3150S	215	55	17	98	T	XL	*	*	*	*
100A3152S	215	60	17	96	T		*	*	*	*
100A3154S	225	45	17	94	T	XL	*	*	*	*
100A3155S	225	50	17	98	T	XL	*	*	*	*
100A3156S	225	55	17	101	T	XL	*	*	*	*
100A3157S	225	60	17	99	T		*	*	*	*

SUV										
Material Code	Tire Size			LI	Speed Rating	EL	Fuel Efficiency	Wet Grip	Noise Grade	Noise Data
100A3160S	215	70	16	100	T		*	*	*	*
100A3165S	235	70	16	109	T	XL	*	*	*	*
100A3161S	225	65	17	102	T		*	*	*	*
100A3163S	235	65	17	108	T	XL	*	*	*	*
100A3166S	265	70	17	115	T		*	*	*	*
100A3162S	235	60	18	107	T	XL	*	*	*	*
100A3164S	235	65	18	106	T		*	*	*	*
100A3167S	245	60	18	105	T		*	*	*	*

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data * in Progress

WWW.GTRADIAL.EU



Experience the Performance

Disclaimer

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice. Delivery while stocks last. For more information please visit www.gtradi.al.eu